PLAIN RIBBONS

PLAIN RIBBONS

Mouse tail
ref.: P 7112

Stretch spaghetti
ref.: P 6146



Polyester piping
ref.: P 7169



Cotton piping
ref.: P 7366

Serpentine (■ ■ ■)
ref.: P 7445



Grosgrain
ref.: P 6945

Acetate satin (■)
ref.: N 600

Double face satin
ref.: P 5326

Cotton serge
ref.: P 5502

Polyester serge
ref.: P 5374



Elastic serge
ref.: P 5930



Velvet
ref.: P 7371

Elastic velvet
ref.: P 51075

Lanyard ribbons
ref.: P 6817





Lanyard ribbons
ref.: P 6935

Cotton taffeta
ref.: P 6774

Polyester taffeta
ref.: P 7369



Stretchy ribbon - Brilliant - Dull
ref.: P 50365

Stretchy ribbon - Dull
ref.: P 50998

Spun polyester
ref.: P 7319

Moiré (■ ■)
ref.: P 5208



PLAIN RIBBONS CHARACTERISTICS*

REFERENCE	DESCRIPTION	COMPOSITION	STANDARD WIDTHS	PRESENTATION
P 7112	Mouse Tail	100% polyester	3 mm	
P 6146	Stretch spaghetti	100% polyester	3 mm	
P 7169	Polyester Piping	100% polyester	10 mm	
P 7366	Cotton Piping	100% cotton	10 mm	
P 7445	Serpentine	100% cotton	5, 7, 10 mm	
P 5502	Cotton Serge	100% cotton	10, 12, 15, 20, 25, 30, 40 mm	
P 5374	Polyester Serge	100% polyester	10, 12, 15, 20, 25, 30, 40 mm	
P 5930	Elastic Serge	90% cotton and 10% elastomers	10, 12, 15, 20, 25, 30, 40 mm	
P 6945	Grosgrain	100% polyester	10, 12, 15, 20, 25, 30, 40 mm	
N 600	Acetate Satin	100% acetate	6, 10, 15, 20...150 mm	
P 5326	Double Face Satin	100% polyester	3, 6, 8, 10, 15, 20, 25, 35, 50 mm	
P 7371	Velvet	100% poliamide	7, 10, 16 mm	
P 51075	Elastic Velvet	100% poliamide	7, 10, 16 mm	
P 6935	Lanyard Ribbons	100% polyester	15 and 20 mm	
P 6817	Lanyard Ribbons	100% polyester	15 and 20 mm	
P 6774	Cotton Taffeta	100% cotton	10, 12, 15, 20, 25, 30, 40 mm	
P 7369	Polyester Taffeta	100% polyester	10, 12, 15, 20, 25, 30, 40 mm	
P 50365	Stretchy ribbon - brilliant - Dull	40% recovered elastomers and 60% poliamide	12, 16, 18, 20 mm	
P 50998	Stretchy ribbon - Dull	40% recovered elastomers and 60% poliamide	12, 16, 18, 20 mm	
P 7319	Spun Polyester	100% polyester	10, 12, 15, 20, 25, 30, 40 mm	
P 5208	Moiré	100% polyester	75 mm	

WASH INSTRUCTIONS: 40°

COLOUR FASTNESS: 4 - 5

PRODUCT USE: we always recommend to make the necessary tests to guarantee the final use of the product.

COLOURS:
- available in " HELIOCOLOURS "catalogue.
- products with square marks (■) are limited on colours availability. Please consult " HELIOCOLOURS " catalogue for correspondence.
- special demands are possible, respecting minimums.

**These characteristics are the mostly used and commom on our production, others may be possible upon consult.*